ELSEVIER

Fluid Phase Equilibria 139 (1997) 427–428

FLUID PHASE EQUILIBRIA

Contents of Volume 139 (1997)

Vol. 139, Nos. 1–2

Preface vii

Equilibrium properties: theoretical, phenomenological or correlational papers

Group Contribution methods

Equations of state using an extended Twu–Coon mixing rule incorporating UNIFAC for high temperature and high pressure phase equilibrium predictions
C.H. Twu, J.E. Coon and D. Bluck (Brea, CA, USA). 1–13

A group contribution method for estimating ideal gas heat capacities of hydrocarbons
L. Coniglio and J.L. Daridon (Pau, France) 15–35

UNIFAC prediction of infinite dilution activity coefficients and enthalpies of mixing of chlorophenols in aqueous and 1-octane-ol solutions
S. Tabai, R. Solimando and M. Rogalski (Metz, France, Nancy) 37–46

A modified UNIFAC model for the calculation of thermodynamic properties of aqueous and non-aqueous solutions containing sugars
A.M. Peres and E.A. Macedo (Bragança, Portugal, Porto) 47–74

High pressure phase equilibrium modeling of mixtures containing associating compounds and gases
H.P. Gros, S.B. Bottini and E.A. Brignole (Bahía Blanca, Argentina) 75–87

Infinite dilution volatilities of polar chemicals in paraffinic hydrocarbons
K.W. Won (Irvine, CA, USA) 89–99

Properties of oil and natural gas

Analytical calculation of minimum miscibility pressure
Y. Wang and F.M. Orr Jr. (Stanford, CA, USA) 101–124

Binary interaction parameters of EOS for heavy hydrocarbons from a group contribution method and Henry's constants
L. Trassy, E. Neau, P. Alessi, I. Kikic and A. Cortesi (Marseille, France, Trieste, Italy) 125–136

Critical point calculations for semi-continuous mixtures
G.L. Rochocz, M. Castier and S.I. Sandler (Rio de Janeiro, Brazil, Newark, DE, USA) 137–153

Thermodynamic modeling for petroleum fluids. I. Equation of state and group contribution for the estimation of thermodynamic parameters of heavy hydrocarbons
L. Avaullee, L. Trassy, E. Neau and J.N. Jaubert (Marseille, France, Nancy) 155–170

Thermodynamic modeling for petroleum fluids. II. Prediction of PVT properties of oils and gases by fitting one or two parameters to the saturation pressures of reservoir fluids
L. Avaullee, E. Neau and J.-N. Jaubert (Marseille, France, Nancy) 171–203

Joule–Thomson expansion of high-pressure–high-temperature gas condensates
W.G. Kortekaas, C.J. Peters and J. De Swaan Arons (Delft, Netherlands) 205–218

Tuning of Peng-Robinson equation of state for simulation of compositional change in flue gas injection processes
Y. Abrishami, H. Hatamian and R.A. Dawe (London, UK) 219–254

Modeling of gas condensates properties using continuous distribution functions for the characterisation of the heavy fraction
M. Sportisse, A. Barreau and P. Ungerer (Rueil-Malmaison, France) 255–276

Polymer solutions
Estimation of the segmental interaction parameters of polymer blends based on styrene and 2,6-dimethyl-1,4-phenylene oxide derivatives
G. Bogdanić, R. Vuković, F.E. Karasz and W.J. MacKnight (Zagreb, Croatia, Amherst, MA, USA) 277–294

Equilibrium properties: papers with an experimental part

Group Contribution methods
Phase equilibria of microemulsion forming system *n*-decyl-β-D-glucopyranoside/water/*n*-octane/1-butanol
H. Kahl, K. Quitzsch and E.H. Stenby (Leipzig, Germany, Lyngby, Denmark) 295–309

Properties of oil and natural gas
A new technique of vanishing interfacial tension for miscibility determination
D.N. Rao (Calgary, Canada) 311–324
Experimental determination of hydrate equilibrium conditions for pure gases, binary and ternary mixtures and natural gases
J. Nixdorf and L.R. Oellrich (Essen, Germany, Karlsruhe) 325–333

Polymer solutions
Pressure dependence of the phase behaviour of polystyrene in methylcyclohexane
S. Enders and Th.W. De Loos (Delft, Netherlands) 335–347
Supercritical antisolvent fractionation: measurements in the systems monodisperse and bidisperse polystyrene–cyclohexane–carbon dioxide
B. Bungert, G. Sadowski and W. Arlt (Berlin, Germany) 349–359
New technique to measure high-pressure and high-temperature polymer–solvent vapor–liquid equilibrium
R.K. Surana, R.P. Danner, A.B. De Haan and N. Beckers (University Park, PA, USA, Geleen, Netherlands) 361–370
Sorption of benzene, toluene and chloroform by poly(styrene) at 298.15 K and 323.15 K using a quartz crystal balance
H.C. Wong, S.W. Campbell and V.R. Bhethanabotla (Tampa, FL, USA) 371–389
Finite and infinite dilution activity coefficients in polycarbonate systems
G. Sadowski, L.V. Mokrushina and W. Arlt (Berlin, Germany, St. Petersburg, Russia) 391–403

Properties of oil and natural gas
Viscosity model based on equations of state for hydrocarbon liquids and gases
X.-Q. Guo, L.-S. Wang, S.-X. Rong and T.-M. Guo (Beijing, China) 405–421

Subject Index 423–424

Author Index 425

Contents of Volume 139 (1997) 427–428